CITROËN XSARA EQUIPMENT SPECIFICATION

Estate

STANDARD ON ALL **SALOON & ESTATE MODELS**

EXTERIOR FEATURES

Two speed windscreen wipers with intermittent wipe (except Exclusive) Rear intermittent wash/wipe Heated rear window with automatic cut-off Tinted windows Locking fuel filler cap

3-piece bumpers

Uniform spare wheel

LIGHTING

Front courtesy lamp with delayed extinction

Halogen headlamps Twin rear fog lamps

Twin reversing lamps

Boot light

SAFETY & SECURITY

Third brake light Height adjustable front & rear seat belts 2 point central rear seat belt Rear door child safety lock indicator Rear seat back locking and boot isolation (hatchback only) Fuel cut-off device (petrol models only)

INTERIOR INSTRUMENTATION

'Lights on' warning buzzer 'Key in lock' warning buzzer Dimmable instrument panel illumination Maintenance indicator Speedometer, trip and total mileage recorders, fuel gauge Warning lights for low fuel, low oil pressure, low battery charging, water temperature. Displays for headlamps, and main beam on, indicators on, rear fog lamps on, hazard warning lights on, heated rear screen on, handbrake on.

Door open warning display (operational on rear hatch on Estate models)

COMFORT

Grab handles and rear coat hooks Cigar lighter and ashtrays Internally adjustable door mirrors, rear view mirror with height & tilt adjustment Adjustable front sunvisors with covered courtesy mirrors

Pollen filter and air recirculation

SEATING

Reclining front seats Height adjustable front head restraints Rear armrests Driver's clutch foot rest

STORAGE

Front door pockets Lidded door bins Centre console with CD storage Upper glove box* Lower glove box with integrated cup holders

| ENGINE AVAILABILITY | × | LX | SX | Excl |
|--|---|----|----------------|----------------|
| 1.4i (75hp) | • | • | | |
| 1.6i (90hp) | | • | | |
| 1.8i Auto (103hp) | | | • | |
| 1.8i 16V (112hp) | | | | • |
| 1.9D (68hp) | • | • | | |
| 1.9TD (90hp) | • | • | • | • |
| SPECIAL EQUIPMENT | | | | |
| Air conditioning with automatic temperature control or electric tilt/slide sunroof | 0 | 0 | • | • |
| Electric sunroof | 0 | • | O ¹ | O ¹ |
| Power assisted steering | • | • | • | • |
| Electric front windows | | • | • | • |
| Electric driver's window with 'one touch' operation | | | | • |
| Electric rear windows with isolation switch | | | | • |
| Automatic front wipers | | | | • |
| Wide angled driver's door mirror | • | • | • | • |
| Four 14" alloy wheels | | | | |

EXTERIOR STYLING

| OT I EII TO | | | | |
|--|---|---|---|---|
| Body colour bumper skirts | • | • | • | • |
| Body colour painted door mirror housings | | • | • | • |
| Body colour painted door handles | | | | • |
| Protective side mouldings | • | • | • | • |
| Full width wheel trims (steel wheels) | • | • | • | |
| Roof rail guttering | • | • | • | • |
| LIGHTING | | | | |
| Front fog lights | 0 | • | • | • |
| Height adjustable headlamps | • | • | • | • |
| Complex surface headlamps | | | | • |
| SAFETY AND SECURITY | | | | |
| Driver, front passenger and front lateral airbags | • | • | • | • |
| Height adjustable front and rear seat belts | • | • | • | • |
| Front seat belt pre-tensioners with force limiters | • | • | • | • |
| Energy absorbing side impact protection | • | • | • | • |
| High frequency remote control central locking with deadlocks | • | • | • | • |
| Transponder immobiliser | • | • | • | • |
| Anti-theft alarm | 0 | 0 | 0 | • |
| Independent boot lock | • | • | • | • |
| Third brake light | • | • | • | • |
| Rear door child safety lock indicator | • | • | • | • |

INTERIOR INSTRUMENTATION

Twin-tone horn

| | • | • | • |
|--------------|---|---------------------------------------|---|
| | • | • | • |
| • | | | |
| | • | • | • |
| • | • | • | • |
| • | • | • | • |
| | • | • | • |
| • | • | • | • |
| lacktriangle | • | • | • |
| | | | |
| | • | • • • • • • • • • • • • • • • • • • • | |

| COMFORT | X | LX | sx | Excl |
|---|----|----|----------------|----------------|
| Electrically operated passenger door mirror | | • | • | • |
| Electrically adjustable and heated door mirrors | | | | • |
| 4 spoke steering wheel with rake and reach adjustment | • | • | • | • |
| Front courtesy light with progressive delayed extinction | • | • | • | • |
| Rear courtesy light with progressive delayed extinction | | | | • |
| Front map reading lamp | | | | • |
| Driver and passenger sunvisors with covered mirrors | • | • | • | • |
| Passenger sunvisor with covered & illuminated mirror | | | | • |
| Boot grab handle | • | • | • | • |
| SEATING | | | | |
| 'Melody' cloth upholstery | • | | | |
| 'Symphony' velour upholstery | | 0* | • | |
| 'Concerto' velour upholstery | | | | |
| Driver's seat height adjustment | | 0* | • | |
| Tilt adjustable front head restraints | | 0* | | |
| Folding rear seat | • | • | | |
| Split/folding rear seat | | | _ | |
| with head restraints | | 0 | • | |
| Rear central armrest | | | | • |
| STORAGE | | | | |
| Illuminated lower glove box with integrated cupholders | • | • | • | • |
| Lockable lower glovebox | | • | • | |
| Front seat back pockets | | 0* | • | • |
| Removable luggage cover(roller) | • | • | • | |
| Protective boot net | | | • | • |
| IN-CAR ENTERTAINMEN | т | | | |
| 4020 stereo radio cassette with RDS, 4 speakers & remote controls | • | • | | |
| 4020 stereo radio cassette with RDS, 6 speakers & remote controls | | | • | • |
| 6 CD autochanger | | | | • |
| OPTION SUMMAI | RY | | | |
| ABS | 0 | 0 | 0 | 0 |
| Anti-theft alarm | 0 | 0 | 0 | • |
| Air conditioning with automatic temperature control | 0 | 0 | • | • |
| Electric sunroof | 0 | • | O ¹ | O ¹ |
| Front fog lights | 0 | • | • | • |
| Four 14" Alloy wheels | | | 0 | • |
| Metallic/Pearlescent paint | 0 | 0 | 0 | 0 |
| 4 CD autochanger | | | | |

- = Standard, = Option, □ = Accessory
- * = Comfort pack not available on 1.9TD

Split folding rear seat with head

Comfort pack: split folding rear

seat with head restraints, driver's

adjustable front head restraints,

'Symphony' velour upholstery

seat height adjustment, tilt

front seat back pockets,

6 CD autochanger

Protective boot net

restraints

¹ Option in lieu of or in addition to standard air conditioning

0 •

0

Dimensions

Measurements in millimetres

Estate

Saloon


2540 2540 4167 4354 1552 1423 1698 1698 1975 1975 1054 1094 860 910 - 887 965

Citroën U.K. Ltd., 221 Bath Road, Slough, Berkshire SL1 4BA

CITROËN

CITROËN XSARA

Hatchback & Estate



October 1998



CITROËN XSARA EQUIPMENT SPECIFICATION

5 Door Hatchback

| ENGINE AVAILABILITY | × | LX | SX | Exclusive |
|--|---|----|----|-----------|
| 1.4i (75hp) | • | • | _ | |
| 1.6i (90hp) | • | • | • | |
| 1.8i Auto (103hp) | | | • | • |
| 1.8i 16V (112hp) | _ | | • | • |
| 1.9D (68hp) 1.9TD (90hp) | • | • | • | |
| 1.91D (90Hp) | • | | | _ |
| SPECIAL EQUIPMENT | | | | |
| Air conditioning with automatic temperature control or electric tilt/slide sunroof | 0 | 0 | • | • |
| Electric sunroof | 0 | • | 01 | 01 |
| Power assisted steering | • | • | • | • |
| Electric front windows | | • | • | • |
| Electric driver's window with 'one touch' operation Electric rear windows with | | | | • |
| isolation switch | | | | • |
| Automatic front wipers | | | | • |
| Wide angled driver's door mirror | • | • | • | • |
| Four 14" alloy wheels | | | 0 | • |
| EXTERIOR STYLING | | | | |
| Body colour bumper skirts | • | • | • | • |
| Body colour painted door mirror housings | | • | • | • |
| Body colour painted door handles | | | | • |
| Protective side mouldings | • | • | • | • |
| Full width wheel trims (steel wheels) | • | • | • | |
| LIGHTING | | | | |
| Front fog lights | 0 | • | • | • |
| Height adjustable headlamps | • | • | • | • |
| Complex surface headlamps | | | | • |
| SAFETY AND SECURITY | | | | |
| Driver, front passenger and | | | | _ |
| front lateral airbags | • | • | • | |
| Height adjustable front and rear seat belts | • | • | • | • |
| Front seat belt pre-tensioners with force limiters | • | • | • | • |
| Energy absorbing side impact protection | • | • | • | • |
| High frequency remote control | • | • | • | • |
| central locking with deadlocks | | | • | |
| Transponder immobiliser | • | • | • | • |
| Anti-theft alarm | 0 | 0 | 0 | • |
| Independent boot lock | • | • | • | • |
| Third brake light | • | • | • | • |
| Rear door child safety lock indicator | • | • | • | • |
| Twin-tone horn | | | | • |
| INTERIOR INSTRUMENTATION | | | | |
| Maintenance indicator | • | • | • | • |
| Rev counter | | • | • | • |
| Analogue clock | • | | _ | |
| Digital clock with date indicator | | • | • | • |
| Dimmable instrument panel illumination | • | • | • | • |
| Door open warning display | • | • | • | • |
| Audible "key in lock" warning | • | • | • | • |
| Oil level versusing | | | | |
| Oil level warning Water temperature gauge | • | | | • |

| COMFORT | x | LX | sx | Exclusive |
|--|---|----|----|-----------|
| Electrically operated passenger door mirror | | • | • | • |
| Electrically adjustable and heated door mirrors | | | | • |
| 4 spoke steering wheel with rake and reach adjustment | • | • | • | • |
| Front courtesy light with progressive delayed extinction | • | • | • | • |
| Rear courtesy light with progressive delayed extinction | | | | • |
| Front map reading lamp | | | | • |
| Driver and passenger sunvisors with covered mirrors | • | • | • | • |
| Passenger sunvisor with covered and illuminated mirror | | | | • |
| Boot grab handle | • | • | • | • |
| SEATING | | | | |
| 'Melody' cloth upholstery | • | | | |
| 'Symphony' velour upholstery | | 0* | • | |
| 'Concerto' velour upholstery | | 0 | | • |
| Driver's seat height adjustment | | 0* | • | • |
| Tilt adjustable front head restraints | | 0* | • | • |
| Folding rear seat | • | • | | |
| Split/folding rear seat with head restraints | | 0 | • | • |
| Rear central armrest | | | | • |
| STORAGE | | | | |
| Illuminated lower glove box with | | | | |
| integrated cupholders | • | • | • | • |
| Lockable lower glovebox | | • | • | • |
| Front seat back pockets | | 0* | • | • |
| IN-CAR ENTERTAINMENT | | | | |
| 4020 stereo radio cassette with | | _ | | |
| RDS, 4 speakers & remote controls | • | • | | |
| 4020 stereo radio cassette with | | | | |
| RDS, 6 speakers and remote controls | | | | _ |
| 6 CD autochanger | | | | • |
| OPTION SUMMARY | | | | |
| ABS | 0 | 0 | 0 | 0 |
| Anti-theft alarm | 0 | 0 | 0 | • |
| Air conditioning with automatic temperature control | 0 | 0 | • | • |
| Electric sunroof | 0 | • | ○1 | ○1 |
| Front fog lights | 0 | • | • | • |
| Four 14" Alloy wheels | | | 0 | • |
| Metallic/Pearlescent paint | 0 | 0 | 0 | 0 |
| 6 CD autochanger | | | | • |
| Split folding rear seat with head restraints | | 0 | • | • |
| Comfort pack: split folding rear seat with head restraints, driver's seat height adjustment, tilt adjustable front head restraints, front seat back pockets, 'Symphony' velour upholstery | | O* | | |
| Leather pack: leather upholstery, leather steering wheel, carpet mats, boot net, seat belt attachment warning, electric adjustment of driver's seat back rest | | | | 0 |

lacktriangle = Standard, \bigcirc = Option, \square = Accessory

^{*} Comfort pack on 1.4i LX only

¹ Option in lieu of or in addition to standard air conditioning

CITROËN XSARA TECHNICAL SPECIFICATION

5 Door Hatchback

| ENGINE | 1.4i | 1.6i | 1.8i Auto | 1.8i 16V | 1.9D | 1.9TD |
|--|--------------|--------------|-----------------------|-----------------------|----------------------|----------------|
| Capacity (cc) | 1360 | 1587 | 1761 | 1761 | 1868 | 1905 |
| Bore and stroke (mm) | 75x77 | 78.5x82 | 83x81.4 | 83x81.4 | 82.2x88 | 83x88 |
| Compression ratio | 10.2:1 | 9.6:1 | 9.25:1 | 10.4:1 | 23:1 | 21.8:1 |
| Max Power DIN (hp/rpm) | 75/5500 | 90/5600 | 103/6000 | 112/5500 | 68/4600 | 90/4000 |
| Max Torque DIN (lb ft/rpm) | 82/3400 | 100/3000 | 113/3000 | 114/4250 | 92/2500 | 145/2250 |
| Cooling system | | | | rically operated cool | | |
| Fuel system | | Multipoin | t fuel injection | | Diesel indi | rect injection |
| TRANSMISSION | | | | | | |
| 5 speed manual | • | • | | • | • | • |
| 4 speed automatic | | | • | | | |
| Clutch type | ا Dry single | olate | N/A | | Dry single plate | |
| PERFORMANCE | | | | | | |
| Max speed (mph) | 109 | 114 | 110 | 121 | 101 | 111 |
| 0-62mph (sec) | 12.0 | 11.5 | 14.3 | 9.4 | 14.7 | 11.4 |
| Standing 400m (sec) | 18.3 | 18.0 | 19.4 | 17.0 | 19.5 | 17.8 |
| Standing 1000m (sec) | 34.1 | 33.4 | 35.7 | 31.5 | 36.6 | 33.3 |
| N.B. All figures driver alone | | | | | | 1 |
| ECONOMY Litres/100km (mpg) | | | | | | |
| Urban cycle | 9.7 (29.1) | 10.4 (27.2) | 12.9 (21.9) | 12.0 (23.5) | 8.3 (34.0) | 8.8 (32.1) |
| Extra urban | 5.8 (48.7) | 6.2 (45.6) | 6.9 (40.9) | 6.3 (44.8) | 5.0 (56.5) | 5.2 (54.3) |
| Combined | 7.2 (39.2) | 7.7 (36.7) | 9.1 (31.0) | 8.3 (34.0) | 6.2 (45.6) | 6.6 (42.8) |
| N.B. Official Government test fuel consumption figures | ,,,,, | 7.77 (00.77) | (* -) | | (1111) | |
| CO ₂ EMISSIONS (g/km) | 176 | 188 | 220 | 199 | 164 | 175 |
| WHEELS AND TYRES | | | | | | |
| X, LX, SX models | | | | | | |
| 14" steel wheels with 175/65 TR 14 MXT tyres | • | | | | ● (X/LX) | |
| 14" steel wheels with 185/65 TR 14 MXT tyres | | • | • | | ● (SX) | • |
| 14" steel wheels with 185/65 HR14 MXV 3A tyres | | | | • | | |
| Exclusive models | | | | | | |
| 14" alloy wheels with 185/65 HR14 MXV 3A tyres | | | • | • | | • |
| WEIGHTS (kg) | | | | | | |
| Unladen weight | 1030 | 1078 | 1110 | 1115 | 1106 | 1152 |
| Maximum laden weight | 1580 | 1600 | 1630 | 1630 | 1650 | 1690 |
| Max towing weight braked | 900 | 1000 | 1000 | 1000 | 1000 | 1100 |
| Max tow hitch download | | | 7 | 0 | | • |
| Max roof rack load | | | 7 | 5 | | |
| BRAKES | | Fr | ont discs, rear drums | except on 1.8i 16V: | front and rear discs | S |
| STEERING | | | Power assi | sted steering - Rack | and pinion | |
| Number of turns lock to lock | | | 3. | | | |
| Turning circle between kerbs (m) | | | 10 | .7 | | |
| SUSPENSION | | | Front: Pseudo Mac | :Pherson strut/Rear: | Torsion bar | |
| FUEL TANK CAPACITY | | | | (11.9 gallons) | | |
| LOAD SPACE VOLUMES (litres) | | | 2.7 | . g/ | | |
| Seats up | | | 40 | 08 | | |
| Seats down | | | 11 | | | |

CITROËN XSARA TECHNICAL SPECIFICATION

Estate

| ENGINE | 1.4i | 1.6i | 1.8i Auto | 1.8i 16V | 1.9D | 1.9TD | |
|--|------------|-------------|-------------------------|------------------------|------------------|---------------|--|
| Capacity (cc) | 1360 | 1587 | 1761 | 1761 | 1867 | 1905 | |
| Bore and stroke (mm) | 75x77 | 78.5x82 | 83x81.4 | 83x81.4 | 82.2x88 | 83x88 | |
| Compression ratio | 10.2:1 | 9.6:1 | 9.25:1 | 10.4:1 | 23:1 | 21.8:1 | |
| Max Power DIN (hp/rpm) | 75/5500 | 90/5600 | 103/6000 | 112/5500 | 68/4600 | 90/4000 | |
| Max Torque DIN (lb ft/rpm) | 82/3400 | 100/3000 | 113/3000 | 114/4250 | 92/2500 | 145/2250 | |
| Cooling system | | L | iquid with electrically | operated cooling fa | ns | | |
| Fuel system | | Multipoint | fuel injection | | Diesel indir | ect injection | |
| TRANSMISSION | | | | | | | |
| 5 speed manual | • | • | | • | • | • | |
| 4 speed automatic | | | • | | | | |
| Clutch type | Dry sin | igle plate | N/A | | Dry single plate | 1 | |
| PERFORMANCE | | | | | | | |
| Max speed (mph) | 109 | 112 | 111 | 122 | 101 | 111 | |
| 0-62mph (sec) | 12.5 | 11.9 | 14.7 | 9.7 | 15.1 | 11.9 | |
| Standing 400m (sec) | 18.6 | 18.2 | 19.6 | 17.2 | 19.7 | 18.0 | |
| Standing 1000m (sec) | 34.5 | 33.8 | 35.8 | 31.8 | 37.1 | 33.7 | |
| N.B. All figures driver alone | | 1 20.0 | 33.3 | 2.112 | | 5511 | |
| ECONOMY Litres/100km (mpg) | | | | | | | |
| Urban cycle | 9.9 (28.5) | 10.6 (26.6) | 13.0 (21.9) | 12.1 (23.3) | 8.3 (34.0) | 8.8 (32.1) | |
| Extra urban | 5.9 (47.9) | 6.4 (44.1) | 7.0 (40.4) | 6.4 (44.1) | 5.0 (56.5) | 5.2 (54.3) | |
| Combined | 7.4 (38.2) | 7.9 (35.8) | 9.2 (30.7) | 8.4 (33.6) | 6.2 (45.6) | 6.6 (42.8) | |
| N.B. Official Government test fuel consumption figures | ((()) | (, , , , | | | (, , , , | | |
| CO ₂ EMISSIONS (g/km) | 170 | 193 | 222 | 201 | 164 | 175 | |
| WHEELS AND TYRES | | | | | | | |
| X, LX, SX models | | | | | | | |
| 14" steel wheels with 185/65 TR 14 MXT tyres | • | • | • | | • | • | |
| Exclusive models | | | | | | | |
| 14" alloy wheels with 185/65 HR14 MXV 3A tyres | | | | • | | • | |
| WEIGHTS (kg) | | | | | | | |
| Unladen weight | 1080 | 1122 | 1145 | 1150 | 1153 | 1197 | |
| Maximum laden weight | 1630 | 1650 | 1670 | 1670 | 1690 | 1740 | |
| Max towing weight braked | 1100 | 1100 | 1100 | 1100 | 1000 | 1100 | |
| Max tow hitch download | | | 7 | 0 | | • | |
| Max roof rack load | | | 10 | 0 | | | |
| BRAKES | | Front disc | s, rear drums except | on 1.8i 16V: front ar | nd rear discs | | |
| STEERING | | | Power assisted stee | ering - Rack and pinic | on | | |
| Number of turns lock to lock | | | | .3 | | | |
| Turning circle between kerbs (m) | | | |).7 | | | |
| SUSPENSION | | | Front: Pseudo MacPh | | rsion har | | |
| | | | | | I SIUIT DAI | | |
| FUEL TANK CAPACITY | | | 54 litres (| 11.9 gallons) | | | |
| LOAD SPACE VOLUMES (litres) | | | | 17 | | | |
| Seats up | | | | 17 | | | |
| Seats down | 1512 | | | | | | |